# 1000 Series SMB

50 Ohm Cable and PCB Connectors





Bomar products, like the 1000 Series 50 Ohm SMB Connectors, are now sold under the Win™ brand from Winchester Interconnect.

#### **Product Description**

Winchester Interconnect's 1000 Series 50 0hm SMB Connectors can be used in a wide range of applications including Test and Measurement, Mil-Aero, Satellite Communication, Wireless Communication, and Medical Equipment.

Our 1000 Series SMB Connectors are designed in accordance with MIL-STD 348 and feature a "Snap-On" interface designed for a frequency range of DC to 4 GHz.

Male cable plug connectors are available in straight and right-angle designs for popular flexible and semi-rigid cables.

Printed circuit board (PCB) connectors are available in straight and right-angle through-hole solder, and also in our unique E-Snap® Edge-Mount design.



 Quick connect disconnect snapon mating reduces installation time.



 Jack connectors have a male center contact.
 Plug connectors have a female center contact.



 SMB connectors are 30% smaller than SMA connectors.



We Energize Innovation  $\square$ 

### **Specifications**

Electrical Impedance 50 Ohms

**Frequency** DC to 4 GHz

Working Voltage ≥ 250 VRMS Dielectric

Withstanding Voltage
1000 VRMS at sea level

VSWR Straight 1.3 Max Right-Angle 1.5 Max Contact
Resistance
Center

≤ 6 Megohms Outer ≤ 1 Megohms

Insulation Resistance 5000 Megohms Min

**Mechanical Contact Retention**≥ 4 lbs.

**Engagement Force** ≤ 17 lbs.

**Disengagement Force** ≥ 1.8 lbs.

**Connector Durability** 500 Cycles Min

Material

**Body & Outer Contact** Brass

Nickel or Gold Plated

Male Contact
Brass
Gold Plated
Female Contact

BECU

**Gold Plated** 

**Insulator** PTFE

Crimp Ferrule
Copper/Brass Nickel/
Gold Plated

Environmental

**Temperature Range** -55°C to +155°C

Thermal Shock MIL-STD-202, Method 107

Moisture Resistance

MIL-STS-202, Method 105 Corrosion

MIL-STD-202, Method 101

Mechanical Shock

MIL-STD-202, Method 101

*Humidity*MIL-STD-202,
Method 101

#### **Part Numbers**

Part Number	Straight and Right-Angle Cable Plugs	<b>Crimp Tool</b>	Hex Size
1010A204F	Straight Cable Plug for RG178, RG196	BDHD200	Solder / 0.128
1010A204M	Straight Cable Plug for RG174, RG316, LMR100	BDHD200	Solder / 0.128
1010A204MS	Straight Cable Plug for RD316	BDHD200	Solder / 0.151
1013A204F	Right-Angle Cable Plug for RG178, RG196	BDHD200	Solder / 0.128
1013A204M	Right-Angle Cable Plug for RG174, RG316, LMR100	BDHD200	Solder / 0.128
1013A204MS	Right-Angle Cable Plug for RD316	BDHD200	Solder / 0.151
Part Number	Bulkhead Cable Jacks	Crimp Tool	Hex Size
1021A204M	Straight Bulkhead Jack for RG174, RG316, LMR100	BDHD200	Solder / 0.128
1021A204MS	Straight Bulkhead Jack for RD316	BDHD200	Solder / 0.151

Part Number	Printed Circuit Board Connectors	PCB Thickness	Packaging
1061A514	Vertical, SMB, Jack, 0.155" Solder Tail	0.062"	Single Pack
1064A595	Right-Angle, SMB, Jack, 0.155" Solder Tail	0.062"	Single Pack
1063A595	Right-Angle, SMB, Plug, 0.155" Solder Tail	0.062"	Single Pack
1060A514	Vertical, SMB, Plug, 0.155" Solder Tail	0.062"	Single Pack

Part Number	2- and 4- Hole Flange Solder Cup	Mounting	
1017A524	Square Flange Jack Solder Cup	4-Hole Pattern	
1017B524	Rectangular Flange Jack Solder Cup	2-Hole Pattern	

Bomar products are now under the Win™ brand from Winchester Interconnect.

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

### Winchester Interconnect:

1010A204M 1013A204M 1017A524 1017B524 1060A514 1061A514 1063A595 1064A595