



TRAY_PACK

REV.	ECN NO./DESCRIPTION	DATE
A	R150761	12/02'15
B	R160261	06/21'16




PRODUCT



80 PCS PRODUCTS
IN EACH TRAY.


EMPTY TRAY



15
PCS
TRAYS

15 PCS TRAYS FULL OF
THE PRODUCTS AND BE
COVERED WITH 1 PC
EMPTY TRAY ON THE TOP.

PE BAG



CARTON

1200 PCS PRODUCTS IN THE CARTON.


DESCRIPTION		P/N	SPECIFICATION	QT'Y		
PRODUCT		SEE TABLE	TRAY PACKING	1200PCS		
TRAY		G09-A-30070-K03	330*290*27.6; T=0.70mm	16PCS		
PE BAG		G09-6-50002-P03	520*320*460; T=0.05mm	1PCS		
CARTON		G09-1-30002-P03	342*300*295; K=K	1PCS		
GENERAL TOLERANCES UNLESS SPECIFIED		PART NO. SEE TABLE	LOTES			
		APPROVED BY Liao jie		TITLE DOUBLE USB3.0 A TYPE FEMALE CONNECTOR		
		CHECKED BY Liu yong				
CUSTOMER DRAWING		DWG NO. GAP-AUSB0289				
SIZE	UNITS	DRAWN BY Ji wenlin		SHEET	SCALE	REV
A4	mm[inch]			3 / 3	2:1	B

TABLE 1:

NO.	PART NO.	DESCRIPTION
1.	AUSB0289-K001C	PA66+30%G.F UL94V-0_BLUE 300C; BRASS C2680_Au1u"; RoHS
2.	AUSB0289-K003C	PA66+30%G.F UL94V-0_BLUE 300C; BRASS C2680_2u"Au+15u"Pd-Ni; RoHS
3.	AUSB0289-K005C	PA66+30%G.F UL94V-0_BLUE 300C; BRASS C2680_2u"Au+30u"Pd-Ni; RoHS
4.	AUSB0289-K007C	PA66+30%G.F UL94V-0_BLUE 300C ;BRASS C2680_Au30u"; RoHS
5.	AUSB0289-K009C	PA66+30%G.F UL94V-0_BLACK; BRASS C2680_2u"Au+30u"Pd-Ni; RoHS
6.	AUSB0289-K010C	PA66+30%G.F UL94V-0_BLUE 300C; BRASS C2680_Au1u". NO BACK SHELL; RoHS
7.	AUSB0289-K012C	PA66+30%G.F UL94V-0_BLACK; BRASS C2680_Au1u"; RoHS
8.	AUSB0289-K013C	HOUSING & SPACER: PA66+30%G.F UL94V-0_RED 185C; BRASS C2680_Au1u"; RoHS
9.	AUSB0289-K015C	HOUSING: PA66+30%G.F UL94V-0_RED 200C; SPACER: PA66+30%G.F UL94V-0_BLACK; BRASS C2680_2u"Au+30u"Pd-Ni; RoHS
10.	AUSB0289-K017C	PA66+30%G.F UL94V-0_BLACK; BRASS C2680_Au15u"; RoHS
11.	AUSB0289-K022C	HOUSING & SPACER: PA66+30%G.F UL94V-0_RED1795C; BRASS C2680_Au15u"; RoHS
12.	AUSB0289-K023C	HOUSING: PA66+30%G.F UL94V-0_GREEN802C; SPACER: PA66+30%G.F UL94V-0_BLACK; BRASS C2680_Au15u"; RoHS
13.	AUSB0289-P002C	PA9T+30%G.F UL94V-0_BLUE 300C; BRASS C2680_Au1u"; HF
14.	AUSB0289-P004C	PA9T+30%G.F UL94V-0_BLUE 300C; BRASS C2680_2u"Au+15u"Pd-Ni; HF
15.	AUSB0289-P006C	PA9T+30%G.F UL94V-0_BLUE 300C; BRASS C2680_2u"Au+30u"Pd-Ni; HF
16.	AUSB0289-P018C	PPA+30%G.F UL94V-0_BLACK; BRASS C2680_Au15u"; HF
17.	AUSB0289-P021C	PA9T+30%G.F UL94V-0_BLUE 300C; BRASS C2680_Au15u"; HF
18.	AUSB0289-P022C	HOUSING: PA66+30%G.F UL94V-0_RED1795C; SPACER: PA66+30%G.F UL94V-0_BLACK; BRASS C2680_Au15u"; HF
19.	AUSB0289-P024C	HOUSING: PA66+30%G.F UL94V-0_RED185C; SPACER: PA66+30%G.F UL94V-0_BLACK; BRASS C2680_2u"Au+30u"Pd-Ni; HF