GSH201 AC-C32/0.03

GSH201 AC-C32/0.03 Residual Current Circuit Breaker with Overcurrent Protection

General Information

Extended Product Type	GSH201 AC-C32/0.03
Product ID	2TAZ230111R2324
EAN	6957625363826
Catalog Description	GSH201 AC-C32/0.03 Residual Current Circuit Breaker with Overcurrent Protection
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH201 AC-C32/0.03

Technical

Standards	IEC 61009
Tripping Characteristic	C
Type of Residual Current	AC type
Rated Operational Voltage	230 V AC
Rated Current (I_n)	32 A
Rated Residual Current	30 mA
Rated Short-Circuit Capacity	6 kA
Maximum Breaking Capacity	6 kA
Number of Poles	1+N
Number of Protected Poles	1
Number of Earth Leakage	1

2023/08/23 Subject to change without notice

Circuit Breakers (ELCBs)	
Operating Characteristic	Instantaneous
Position of Neutral Terminals	Right
Release Type	C

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	CNIIB21EDRCBO1216
REACH Declaration	CNIIB21EDRCBO1217
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	30 mA

Dimensions

Product Net Width	69 mm
Product Net Height	0.085 m
Product Net Depth / Length	70 mm
Product Net Weight	0.172 kg

Ordering

Minimum Order Quantity	1 piece

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed

Installation

Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	1SXF400005C2013

Classifications

ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB
ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B	Business To Consumer
CN8	85363010
eClass	V11.0 : 27400618

Categories

□□ □□ □ □□□ → □□□ □□□ □□ → □□ □□ □□ (RCDs) → Residual Current Circuit Breakers with Overcurrent Protection
RCBO