

PRODUCT-DETAILS

## DDA202 AC-40/0.03 DDA202 AC-40/0.03 Residual Current Device Block



General Information	
Extended Product Type	DDA202 AC-40/0.03
Product ID	2CSB202001R1400
EAN	8012542791201
Catalog Description	DDA202 AC-40/0.03 Residual Current Device Block
Long Description	The RCD block DDA200 series is suitable for assembly with MCBs S200 series. It assures protection against the effects of sinusoidal alternating earth fault currents, protection, against indirects contacts and additional protection against direct (with sensitivity = 30 mA) contacts. Applications: residential, commercial, industrial.

Technical	
Standards	IEC/EN 61009 Ann. G
Type of Residual Current	AC type
Rated Voltage (U <sub>r</sub> )	230/400 V
Rated Operational Voltage	230 V
Rated Insulation Voltage $(U_i)$	500 V
Rated Impulse Withstand Voltage (U <sub>imp</sub> )	4 kV
Rated Current (I <sub>n</sub> )	40 A
Rated Residual Current	30 mA

Leakage Current Type	AC
Rated Frequency (f)	50/60 Hz
Power Loss	3.2 W
Power Supply Connection	Arbitrary
Electrical Endurance	10000 cycle
Number of Poles	2
Operating Characteristic	Instantaneous
Options Provided	<u> </u>
Connecting Capacity	Rigid 25 25 mm² Flexible 25 25 mm²
Environmental	
	25.55.00
Ambient Air Torrogenture	-2555 °C
Ambient Air Temperature  Degree of Protection	Operation -2555 °C
Resistance to Vibrations acc. to IEC 60068-2-6	0.1 mm or 1 g - 20 cycles at 51505 Hz
Resistance to Shock acc. to IEC 60068-2-27	25g / 2 shocks / 13 ms
RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	Refer to RoHS
Technical UL/CSA  Short-Circuit Current Rating (SCCR)	0.03 0.03 A
Dimensions	
Product Net Width	70 mm
Product Net Height	93 mm
Product Net Depth / Length	
Product Net Weight	76 mm
	0.210 kg
Container Information	
Container Information  Package Level 1 Units	
	0.210 kg
Package Level 1 Units	0.210 kg box 1 piece
Package Level 1 Units Package Level 1 Width	0.210 kg box 1 piece 82 mm
Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth /	0.210 kg  box 1 piece 82 mm 84 mm
Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross	0.210 kg  box 1 piece 82 mm 84 mm 108 mm
Package Level 1 Units Package Level 1 Width Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight	0.210 kg  box 1 piece 82 mm 84 mm 108 mm

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85363030
E-Number (Finland)	3259804
Country of Origin	Italy (IT)

Declaration of Conformity - CE	9AKK106713A5614
Environmental Information	Refer to RoHS
Instructions and Manuals	2CSB423001D003
RoHS Information	2CSC427001K2701
Popular Downloads	
Data Sheet, Technical Information	9AKK107991A8329
Instructions and Manuals	2CSB423001D003

Classifications		
ETIM 7	EC002297 - Residual current circuit breaker (RCCB) module	
ETIM 8	EC002297 - Residual current circuit breaker (RCCB) module	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85363030	
Object Classification Code	F	

## Categories

 $Low\ Voltage\ Products\ and\ Systems \to Modular\ DIN\ Rail\ Products \to Residual\ Current\ Devices\ RCDs \to Residual\ Current\ Devices\ RCD\ Blocks$ 

