







Mounting panel size
(maximum gauge 5.0mm)
/安装面板尺寸(最大厚度 5.0mm)

PCB LAYOUT

Section/截面 Z-Z
Optional Construction IF Panel
Thickness Is Greater Than 2.0
/厚度大于 2.0 (可选)
Scale/比例: 4:1

99X-35X-5066

99X-35X-9066

99X-35X-2066

99X-35X-6066

99X-35X-7066

广东济德精密电子有限公司

受控文件

日期: 2024 年 10 月 18 日




Section/截面 Z-Z
Optional Construction IF Panel
Thickness Is Greater Than 2.0
/厚度大于 2.0 (可选)
Scale/比例: 4:1

X.± 0.35	X.± 3°		Guangdong JiDe Precision Electronics Co., Ltd			
.X± 0.25	.X.± 2°		广东济德精密电子有限公司			
.XX± 0.15	.XX.±1°					
.XXX± 0.10	.XXX.± /					
UNITS:	mm					
The information in this document is property of JIDC company and should not be copied or reproduced in any other way, without written permission.			TITLE: 35 Pin horizontal with flange seal		PART NO. 99X-35X-X0XX	
			APPD: <i>Jerry</i>		DWG NO: C-99X-35X-X0XX	
			CHKD: <i>Ray</i>			
			DRAW: <i>Colmuse</i>			
		SCALE	SHEET	REV.		
		N/A	2/3	A0		

REV.	DESCRIPTION	DESIGN	APPROVAL	DATE
A0	NEW VERSION	Dong	Jerry	

Product specification/物料规格表:

NO	Part number (With seal)	Part number (Without seal)	Color	Plating
1	992-351-2001	991-351-2066	Black	镀锡
2	992-353-2001	991-353-2066		镀金
3	992-351-7066	991-351-7066	Natural	镀锡
4	992-353-7066	991-353-7066		镀金
5	992-351-5066	991-351-5066	Gray	镀锡
6	992-353-5066	991-353-5066		镀金
7	992-351-9066	991-351-9066	Blue	镀锡
8	992-353-9066	991-353-9066		镀金
9	991-353-6066	991-353-6066	Orange	镀金



NOTES:

- Material/材质:
Housing/塑胶主体: PBT, UL94 V-0
Contacts/端子: Copper alloy/铜合金, Tin or gold plated/镀锡或镀金
- Rated current/额定电流: 8A (Tin/镀锡); 17A (Au/镀金);
- Rated voltage/额定电压: 250V AC
- Operating temperature/操作温度: -40°C~+105°C (Tin/镀锡);
-40°C~+125°C (Au/镀金);
- Insulation voltage/耐压: 1000V AC/minute,
- Insulation Resistance/绝缘阻抗: 100MΩ (Min.)
- Contact resistance/接触电阻: 10mΩ (Max.)
- Mounting screws are 3.0 self-tapping screws with torque range 0.6N.m-0.8N.m
安装螺钉采用3.0自攻螺丝, 扭矩范围0.6N.m-0.8N.m
- The product must meet the requirements of RoHS.
/产品符合RoHS环保要求.

X.± 0.35	X.± 3°	 Guangdong JIDe Precision Electronics Co., Ltd 广东济德精密电子有限公司	TITLE: 35 Pin horizontal with flange seal PART NO. 99X-35X-X0XX DWG NO: C-99X-35X-X0XX  SCALE SHEET REV N/A 3/3 A0			
.X± 0.25	.X'± 2°					
.XX± 0.15	.XX'± 1°					
.XXX± 0.10	.XXX'± 1°					
UNITS:	mm					
The information in this document is property of JIDC company and should not be copied or reproduced in any other way, without written permission.		APPD:	Jerry			
		CHKD:	Paul			
		DRAW:	Colmyn			

8

7

6

5

4

3

2

1